

a (atalog from

B-KAROL& SONS CR

Of Chicago

# Quality PLUMBING HEATING SUPPLIES since

Catalog R



ALWAYS FILLED TO ITS CAPACITY
AWAITING YOUR ORDERS
When dealing with us you are assured of getting
Guaranteed Plumbing and Heating supplies at a
great saving. Never before have such low prices,
together with our quality and service, been offered
to the public. All of our factories stand back of
our guarantees.

NOW

# Make Your House a Home with Modern Plumbing and Heating

ANY people in the past who have desired modern plumbing and heating in their homes have been under the impression that the cost was too high. This need not stop you from installing good plumbing and heating today, because we are prepared to show you how to have these necessities at a very low cost. If you are buying a home or if your own home does not have these conveniences, or if you are building, we can show you how to save money in dealing with us.

#### A Sketch is All That is Needed

If you will send us a floor plan of the house giving the exact size of each room with the location of the doors, windows and other exposures, we will furnish you with an estimate of the cost of your requirements. From these simple plans we will figure out the most economical and efficient way for you to install your own Plumbing and Heating System and furnish you with detailed instruction on how to do the work.

#### Save the Cost of Installation

One of the most expensive items in Plumbing and Heating is the cost of installation. With our proposition and our complete plans your only cost is for the material. You can install the job yourself in your spare time.

#### Simple and Easy to Install

With our directions and plans the work is so simple that the largest job should cause you no trouble. If you don't have the spare time to do this you can get any handy man to do it for you. You don't need an expert, and this means a big saving to you because experts' charges are very high.

Do not let the lack of tools make you think you cannot do this work. With a deposit we will furnish you the necessary tools with the material. This money will be refunded when you return the tools and the loan will not cost you a cent. Large sizes of pipes on Heating Plants are cut to the size necessary.

#### B. KAROL & SONS CO.

ESTABLISHED 1888

800-802 South Kedzie Ave. CHICAGO, ILL.



# Modern Bathroom Outfits Easily installed in your home

Supreme
Bathroom
Outfit
\$111010
Complete

Bathtub, corner built-in pattern, 5 feet long, 30 inches wide, enameled inside and outside. The waste and supply fixtures are concealed in the wall and only the solid china cross handles and flanges are exposed. RIGHT hand corner tub as shown will be furnished unless LEFT hand is specified.

Closet Combination consists of a syphon jet bowl of the noiseless type, high grade porcelain tank of large capacity, with all white china trip lever, heavy interior trimmings and mahogany or golden oak finished seat.

Lavatory of high grade porcelain enamel, square pedestal design. Size of slab 20x24 inches. Equipped with the latest style mixing valves, by which hot and cold water can be mixed to the desired temperature. Heavy brass nickel plated trap and supply pipes for either floor or wall connection. Trap and supplies to the wall will be furnished unless otherwise specified.

Shipping weight about 800 pounds.

If shower bath, similar to the one shown in the PEERLESS outfit but for corner is wanted, add.....\$11.00





# Modern Bathroom Outfits Easily installed in your home

Peerless
Bathroom
Outfit
\$960
Complete
without shower

**BATH** 

Bathtub, recess built-in apron pattern, 5 feet long, 30 inches wide, enameled inside and outside.  $4\frac{1}{2}$  foot tub can be furnished at the same price when specified. The waste and supply fixtures are concealed in the wall and only the full china cross handles and flanges are exposed. RIGHT hand trimmings as shown will be furnished unless LEFT hand is specified.

Closet combination consists of a deep seal syphon action washdown bowl with jet, high grade solid porcelain tank of large capacity with all white china trip lever, heavy interior trimmings and mahogany or golden oak seat.

Lavatory of high grade porcelain enamel, square pedestal design. Size of slab 20x24 inches. Nickel plated pop-up waste fixture with solid china knob, which eliminates the necessity of a rubber stopper. Heavy elevated pattern compression basin cocks with solid china cross handles indexed "hot" and "cold" and nickel plated trap and supply pipes either to the floor or wall. Trap and supplies to the wall will be furnished unless otherwise specified.

#### Shipping weight about 725 pounds.





## Modern Bathroom Outfits

Easily Installed in Your Home

## Majestic Bathroom Outfit Plete \$8345

Bathtub of cast-iron, porcelain enameled inside, painted outside, on base. Equipped with IDEAL waste which eliminates the necessity of a rubber stopper, nickel plated combination bathcock and nickel plated supply pipes. The tub is 30 inches wide and can be furnished either 4½ or 5 foot long.

Closet combination consists of a syphon jet bowl of the noiseless type, high grade solid china tank of large capacity with all white china trip lever, heavy interior trimmings, and mahogany or golden oak finished seat.

Lavatory of cast-iron, porcelain enameled, square pedestal design. Size of slab 20x24 inches. Equipped with nickel plated pop-up waste with solid china knob, compression basin cocks with full china cross handles indexed "hot" and "cold" and nickel plated trap and supply pipes either to the floor or wall. Trap and supplies to the wall will be furnished unless otherwise specified.

Shipping weight about 725 pounds.

If white celluloid finished seat is wanted instead of mahogany or golden oak, add......\$2.00

This outfit with regular trimmings on the lavatory and bathtub instead of the lifting wastes, otherwise the same 79.00

\_\_\_\_\_\_00

## Jewel Bathroom Outfit \$57 20 Complete,

Bathtub, cast - iron porcelain enameled inside, painted outside. Equipped with nickel plated combination bathcock, combination waste and overflow and supply pipes. Tub can be furnished in 4, 4½ or 5 foot length at the same price. Width 30 inches. Can also be furnished in 26 inch width.

Closet combination consists of a deep seal syphon action washdown bowl with jet, high grade solid china tank of large capacity, with all white china trip lever, heavy interior trimmings and mahogany or golden oak seat.

Lavatory of cast-iron porcelain enameled. Equipped with nickel plated compression basin cocks with china indexed handles, nickel plated trap and supply pipes either to the floor or wall. Trap and supplies to the wall will be furnished unless otherwise specified. Size of lavatory 18x21 inches with 8 inch back.

Shipping weight about 490 pounds.

If white celluloid finished seat is wanted instead of mahogany or golden oak, add..............\$2.00

This outfit can be furnished with 17x19 inch lavatory and bathtub equipped with short supplies, otherwise the same for................\$54.00








## Select Fixtures Separately Built-in Corner Apron Bathtub with

Exposed Fixtures complete

\$6000

R-104. Bathtub, corner built-in apron pattern, 5 feet long, 30 inches wide, cast-iron porcelain enameled inside and outside. The waste and supply fixtures are all heavy cast brass, highly nickel plated having solid china cross handles indexed "HOT," "COLD" and "WASTE." The only logical bathtub with connections that will fit where the waste and supply pipes come through the floor and where concealed fixtures cannot be installed. This tub can be furnished to be built in either right or left hand corner, but RIGHT hand as shown will be furnished unless otherwise specified.



Bathtub only without trimmings..... Shipping weight about 500 pounds.

\$46.70

**⊙**⊙=

00



## Built-in Corner Apron Bathtub Complete \$\int 7\big| 25

R-105. Bathtub, corner built-in apron pattern, 5 feet long, 30 inches wide, cast-iron, enameled inside and outside. The waste and supply fixtures are concealed in the wall and only the solid china cross handles and flanges are exposed. RIGHT hand corner tub as shown will be furnished unless LEFT hand is specified. This is the style tub that is now being installed when sanitary conditions are desired.

Shipping weight about 480 pounds.


00

### Built-in Recess Apron Bathtub Complete \$53

R-106. Bathtub, recess apron pattern, 4½ or 5 feet long, 30 inches wide, cast-iron enameled inside and outside. The waste and supply fixtures are concealed in the wall and only the china cross handles and flanges are exposed. A 5 foot tub with RIGHT hand trimmings as shown will be furnished unless LEFT hand is specified. Shipping weight about 450 pounds.

> Colored Bath Tubs One-third More

You may make up your own bathroom outfit by selecting fixtures separately.





## Make up Your Own Outfit

Built-in Roll Rim Recess Bathtub Com-







R-107. Bathtub, cast-iron porcelain enameled inside, painted outside. This tub is of the same quality as the higher priced built-in tubs, except that it has the 3-inch roll rim instead of the apron. The waste and supply fixtures are concealed in the wall and only the solid china indexed cross handles and china flanges are exposed. PIGHT hand trimming as a bound will be for exposed. RIGHT hand trimmings as shown will be furnished unless LEFT hand is specified. Length 41/2 or 5 feet, width 30 inches. Shipping weight 300 pounds.

This tub can be furnished with combination bathcock	
regular waste and overflow	36.85
Tub only without trimmings, either style	32.65
If a 5½ foot tub is desired add	3.30


## Roll Rim Base Tub Complete \$\\$4\big25

Bathtub, cast iron, porcelain enameled inside and painted outside, on base. Equipped with "IDEAL" lifting waste with china knob, eliminating the necessity of a rubber stopper, heavy nickel plated combination bathcock and supply pipes. Width of tub 30 inches.

Length 4½ ft.	5 ft.
Shipping Weight275 lbs.	300 lbs.
Price complete \$34.00	\$34.25
Bathtub complete with trimmings	
like R-123 30.60	30.85
Price bathtub only 27.00	27.25



Roll Rim Tub Complete \$29



Bathtub, cast-iron porcelain enameled inside and painted outside. Equipped with nickel plated combination bathcock for hot and cold water, nickel plated "IDEAL" waste with solid china knob, eliminating the necessity of a rubber stopper and nickel plated supply pipes. Width 30 inches, including 3-inch roll rim. This tub can be supplied 26 inches wide, no extra charge.

Length... 4 ft. 41/2 ft. 5 ft.

Shipping weight. 2251bs. 2501bs. 3001bs.

Price com-

plete ..\$29.60 \$29.75 \$29.90

Price tub

only ... 21.80 21.90 22.00



Select Fixtures Separately





R-114. Lavatory. Porcelain enameled cast iron, size 18x24 inches with 10 inch high back. Equipped with nickel plated pop-up waste having china knob, designed to eliminate the rubber stopper, heavy nickel plated compression basin cocks indexed hot and cold, nickel plated trap and supply pipes either for floor or wall connection. Wall trimmings regularly furnished unless floor is specified. Shipping weight about 100 pounds Complete

Lavatory only without trimmings \$9.80

Colored Lavatories One Third More



R-111. Lavatory. Cast iron, porcelain enameled, length on sides 161/2 inches with 6 inch high back. Equipped with nickel plated china indexed compression basin cocks, nickel plated trap and supply pipes either to the floor or wall. Wall triumings will be furnished unless otherwise specified. Shipping weight about 80

Lavatory only without trimmings ..... \$8,35





R.113. Lavatory. Cast iron, porcelain enameled, size 18x21 in. 8 in. high back. This pattern is the most popular on the market and meets all requirements. Equipped with nickel plated china indexed basin cocks, nickel plated trap and supply pipes either for floor or wall connection. Wall connections will be furnished unless otherwise specified. Shipping weight about 80 pounds, \$111.50

Lavatory only without trimmings......\$7.60 This lavatory can also be furnished in 17x19 inch size with 6 inch high back complete for .....\$10,50 Lavatory only .....





R-116. Lavatory. Cast iron, porcelain enameled roll rim type. Length of sides 16½ inches. Equipped with nickel plated china indexed compression basin cocks, nickel plated trap and supply pipes for either floor or wall connection. Wall trimmings will be furnished unless otherwise requested. Shipping weight about 60 pounds. 

## Sanitary Kitchen Sinks



R-117. Double Drainboard Apron Sink. Porcelain Enameled Cast Iron Apron Sink, back and drainboards all in one piece supported on wall hangers. Equipped with nickel plated faucets and trapeither to the floor or wall. Wall trap will be furnished unless otherwise specified.

2"	Sink,	complete	
4"	Sink,	complete 63.45	
2"	Sink	only, Wt. 300 lbs 38.65	
4"	Sink	only, Wt, 400 lbs 60,00	





R-118. Apron Sink. Porcelain enameled Cast Iron Apron Sink. back and drainboard all in one piece. Supported on concealed wall hangers. RIGHT hand drainboard as shown will be furnished unless LEFT hand is specified. Equipped with nickel plated faucets and trap either to the floor or wall. Wall trap will be furnished unless otherwise specified.

will	be furnished u	nless otherwise	specified,	
42"	Sink, complete			\$26,15
48"	Sink, complete			350
52"	Sink, complete			35.40
42"	Sink only, Wt.	250 lbs,		22.65
48"	Sink only, Wt.	260 lbs		29.35
52"	Sink only, Wt,	275 lbs		31.95



R-120. Roll Rim Sink. Porcelain Enameled Cast Iron Roll Rim Sink, back and drainboard all in one piece. Supported on concealed wall hangers. Equipped with nickel plated faucets and trap either to the floor or wall. Wall trap will be furnished unless otherwise specified. RIGHT hand drainboard as shown will be furnished unless LEFT hand is specified.

be I	nrnished unless	LEFT	nand 1	is specined.	
42"	Sink, complete				\$22,30
48"	Sink, complete				
52"	Sink, complete	22223			24.90
42"	Sink only. Wt.	210 lb	s		18,50
48"	Sink only, Wt.	240 lb	S		
93	Sink only. Wt.	200 10	s		





R-119. Corner Apron Sink. Porcelain Enameled Cast Iron Apron Sink, back, drainboard and end piece all in one piece, supported on concealed wall hangers. Equipped with nickel plated faucets and trap either to the floor or wall. Wall trap will be furnished unless otherwise specified. LEFT hand corner as shown will be furnished unless RIGHT hand is specified.

42"	Sink.	compl	ete			 	 	 \$26.80
48//	Sink.	comp	lete			 	 	 34.15
52"	Sink.	compl	ete			 	 	 38.10
42"	Sink	only.	Wt.	285	lbs.	 	 	 23,30
48"	Sink	only.	Wt.	300	lbs.	 	 	 30.65
52"	Sink	only.	Wt.	310	ths.	 	 	 34.60



R-121. Corner Roll Rim Sink. Percetain Enameled Cast Iron Roll Rim Sink, back, drainboard and end piece all in one piece. Supported on concealed wall hangers. Equipped with nickel plated faucets and trap either to the floor or wall. Wall trap will be furnished unless otherwise specified. LEFT hand corner as illustrated will be furnished unless RIGHT hand is specified.

mus	nated	45 111	DC 1	CTIT TIL	onca	 11000	 OILL	110110	 -P	~~-	
42"	Sink,	con	plete			 	 		 		\$26.15
48"	Sink,	con	iplete	e		 	 		 		27.85
52"	Sink,	com	plete	е		 	 		 	٠.	20 85
42"	Sink o	only.	Wt.	$^{225}$	lbs.	 	 		 	٠.	22.65
											24.35
52"	Sink (	only.	Wt.	275	lbs.	 	 		 ٠.	٠.	26.35

R.122. Double Drainboard Roll Rim Sink. Porcelain enameled east iron roll rim sink, 62 inches long, back and drain boards all in one piece supported on concealed wall hangers. Nickel plated faucets and trapetither for floor or wall connection. Wall trap will be furnished unless floor trap is specified. Shipping weight about 255 pounds, Complete.......\$31.50

· Colored Sinks One Third More.

Any style sink can be For R-214 Combination Mixing Faucet with soap dish, instead of regular faucets add.....\$2.50 equipped with a Mixing Faucet For R-213 Combination Mixing Faucet without soap dish, instead of regular faucets add. 1.75

Legs for the above sinks can be furnished in the painted style at \$1.25 each and for the enameled style at \$2.50 each.



## Bathroom Fixtures

Roll Rim Tub Complete

3-inch roll rink. This till can all charge.

Length ... 4 ft.,

Shipping Weight ... 225 lbs.

Price complete ... \$26.00

Price tub only ... 21.80

4½ ft. 250 lbs. \$26.10 21.90

5 ft. 290 lbs.





R-124. Lavatory, porcelain enameled all over cast iron, pedestal design, size 20x24 inches, 32 inches high. Equipped with latest style mixing valves, with which hot and cold water can be mixed to the desired temperature. The fit-tings are all heavy cast brass nickel plated and can be furnished for either floor or wall connec tion. Wall trimmings will be furnished unless floor be furnished unless floor is specified. With the exception of the mixing valves, this lavatory is the same as R-125. Shipping weight about 125 pounds.

Complete ....\$27.25

This lavatory can be furnished in 22x27 inch size. Price complete ...\$29.95

R-125. Lavatory, porce-lain enameled all over cast iron, pedestal design, size 20 x 24 inches, 32 incheshigh. Equipped with nickel plated pop-up waste with china knob, nickel plated compression basin cocks having solid china cross handles, nickel plated trap and supply pipes either to floor or wall, Trap and supply pipes to the wall will be furnished unless floor is specified. Shipping weight about 125 pounds. Complete..... \$23.70

Lavatory only without trimmings ....\$18.00
This lavatory can also be furnished in 22x27 inch

Price complete ..\$26.40





Porcelain Closet Tank of R-126. vitreous china, low-down type, complete with heavy cast brass trimmings and all china trip lever. Shipping weight about 70 .....\$11.95 R126A. Cast Iron Enameled Tank, \$13.00

Colored Closets Double in Price



R-127. Closet Combination consisting of a solid vitreous china lowdown tank, bowl with jet and mahogany or golden oak finished seat. The tank is completely fitted with heavy cast brass parts and all china trip lever of latest design and closet bowl of syphon action washdown type, which is extensively used in all kinds of work. Do not confuse this outfit with the white composition closets that are offered for just a trifle less money. This, outfit is complete ready to install. Shipping weight, 125 pounds. Complete. \$19.50 White celluloid finished seat extra, net. 2.00



R-128. Closet Combination consisting of a solid vitreous china lowdown tank and bowl with malogany or golden oak finished seat. The tank is completely fitted with heavy cast brass parts of closet bowl of the noiseless type and the closet seat is of wonderful construction, which does not split with ordinary use, equipped with heavy cast brass bar hinges. The combination is complete ready to install. Shipping weight 150 pounds. Complete \$25.50 White celluloid finished seat extra. net 2,00

## Easily Installed




R-129. Closet Combination consisting of a cast iron porcelain enameled inside and outside tank, bowl of vitreous china of the syphon action wash-down type with jet and the seat golden oak or mahogany finished. This outfit is extensively used in factories and public places where it is liable to receive rough usage. This combination is complete ready to install. Shipping weight, \$22.00 White celluloid finished seat extra....\$2.00



R-130. Closet Combination consisting of a copperlined golden oak tank fitted with heavy cast brass
parts, syphon action jet washdown bowl of vitreous china and high-grade golden oak seat. The
combination is very substantial and is used where
installation must be made on cheaper work. The
outfit is complete ready to install.
Shipping Weight, 95 lbs.
Complete \$18.25









R-133. "Jack Frost" Non-Freezing Closet Combination.
Roughs-in at 12 inches and
flushes automatically when in
use, Drains free of water when
not in use. Can be repaired
without disturbing hopper or
ground pipes. White enameled
inside. Weight about 90
pounds.
Complete. \$15.00



R.134. Washdown Closet Bowl. Syphon Washdown Vitreous China Jet Closet Bowl with 2-inch spud for low tank or 1½-inch spud for high tank. Shipping weight 40 pounds. \$6.75







R-137. Closet Seat of golden oak or mahogany finish, with nickel-plated bar hinge for use on any closet bowl.
Weight about 10 lbs.
Price \$2.50
White celluloid finished seat .....\$4.50

We can also furnish celluloid finished seats in Green and Orchid. Price \$5.25




Kitchen Sinks - Brackets



R-139. Sink. Porcelain Enameled Cast Iron Sink with Back in one piece. Supported on concealed wall hangers and equipped with nickel plated faucets and trapetither to the floor or wall. Wall trap will be shipped unless otherwise specified.

			specified.				
			complete				
			complete				
			complete				
18x24	inch	Sink	only. W	/eigh	t 96	pounds	. 8.35
			only. W				
$20 \times 30$	inch	Sink	only. W	/eigh	t 150	pounds.	. 11.05



R-140. Enameled Sink. Porcelain Enameled Cast Iron Flat Rim Sink with strainer, collar and bolts.

16x24	inch	Sink.	Wt.	40	lbs	34.90
18x30						
20x30						
$20 \times 36$	inch	Sink	Wt.	65	lbs	-8.00



R-141. Sink Back. Porcelain Enameled Cast Iron Sink Back for flat rim sinks. Height 12 inches. Depth 2 inches. 24 inch Sink Back. Weight 24 pounds 83.25 30 inch Sink Back. Weight 30 pounds 3.55



R-142. Pump Bracket. Will fit any cistern or pitcher spout pump. Ready to attach to roll rim style sink,



#### Modern White Steel Bathroom Cabinets



R-144. Recess Cabinet. This cabinet is of the same quality and grade as our R-145 except that it is made to recess in the wall. When building a new bathroom this is the cabinet to install for when set is almost flush with the wall and cannot be moved. Equipped with 12x18 inch mirror, 2 adjustable plate glass shelves, knob and will fit wall opening 19½x13½x3¾ inches. Outsided dimensions 21¾x x3 15¾ inches, Wt. 30 lbs. Price.\$10.90





R-146. Recess Wall Cabinet of the built-in type like our other recess models fitting in an opening 231/2x131/2x31/4 inches, has two plate glass shelves but equipped with a 16x28 inch engraved French plate glass mirror of the finest quality anchored to the door with heavily plated bronze fasteners. Weight 62 lbs. crated. Price .....\$24.00



R-147. Recess Wall Cabinet identical to our R-146 except that the top of the mirror is of serpentine pattern whereas the other is straight. Many people desire this type of a mirror and it can be furnished from stock without any difference in cost. Weight crated 62 lbs.

Price .....\$24.00



R-148. Recess Cabinet of the built-in type like R-144 except that it has an opening at the bottom as a lavatory receptacle. The outside dimensions are 25%x15% and fits an opening 23½x13½x3¾". Equipped with a 12x16 high-grade mirror. Has two glass shelves and weighs 25 lbs.

## Bathroom Trimmings


#### Solid China One-Piece Bathroom Trimmings with Concealed Wall Fasteners

This is the most distinctive of the one-piece idea carried out in bathroom tripunings. The outstanding feature of the line is in the concealed wall attachment, which eliminates unsightly screw hole openings and makes the installation very simple. These fixtures are held securely in position by a concealed screw and cannot tip.






R-149.	Round Towel Ba	tr	
Length in, 18	24	30	36
Price\$2,50	\$2.85	\$3.10	\$3.55



method of attaching these fix-tures. A concealed fastener is screwed to the wall over which the fixture fits and is held se-curely in position by the vertical set-screw, shown in the illustra-tion.



Tumbler and Tooth Brush Holder \$1.10 R-151.





R-152. Opal Glass Shelf 5-in, Wide Length in, ...... 18 30

Price ......\$3.25 \$3.70 84.15



Paper Holder \$2.05



\$1.00



#### Solid China Recessed and Built-in Bathroom Trimmings

The latest and most modern bathroom trimmings on the market.



R-156. Combination Lipped Soap Dish with Grab Rail \$3.55 Size 6x6 inches,



36

84,60

Soap Dish with Drain Lip \$2,28 Size 6x6 inches.



R-158, Tooth Brush Holder \$1.30 Size 3x6 inches.



Paper Holder \$1,95 Size 6x6 inches,

R-160. Towel Bar Has 3x3 inch posts with 1 inch white bar.

#### Enameled on Iron Pure White Bathroom Trimmings

Used generally in remodeling work, effecting a blend that looks much like the above designs. Much cheaper in price and highly desirable.



R-161. Towel Bar



R-162. Soap Dish \$0.95



R-163. Tumbler Holder.



Robe Hook 20.20



R-165. Paper Holder \$0.85



Combination Tumbler and Tooth Brush Holder \$0.75



## Bathroom Fittings



R-167. Nickel-Plated Slip Joint Nut. For connecting brass tubing to iron pipe.  $1\frac{1}{2}\times1\frac{1}{2}$  in. \$0.20  $1\frac{1}{2}\times1\frac{1}{2}$  in. 20  $1\frac{1}{2}\times1\frac{1}{2}$  in. 20  $1\frac{1}{2}\times1\frac{1}{2}$  in. 20  $1\frac{1}{2}\times1\frac{1}{2}$  in. 20

R-171. Tubular Shower Head. Nickel plated. Diameter 9½ inches, inlet ¾ inch....\$6.00



R-173. Rain Shower Head. 4" Shower for 3/4" pipe \$1.05 5" Shower for 1/2" pipe 1.10 61/2"Shower for 1/2"pipe 1.35





R-181. Bottom Supply Ball Cock, Used in high tanks when water supply comes through bot-tom of tank....\$1.10



R-168. Automatic Closet. Bowl is self-flushing when seat is used. Adapted for installation in basements, factories and places where there is no danger of freezing. The bowl is cast iron, white porcelain enameled inside and painted outside. Equipped with automatic valve for iron pipe connection. Solid oak seat and cast iron weight. Shipping weight 50 lbs....\$\$.95

R-172. Ball Stem. For low

R-179. Seat Hinges. For closet seats in-cluding nuts and wash-ers, made of brass nickel-plated ....75e

down closet tank








R-175. Nickel-plated Connected Waste and Overflow. For bath tub. 1½-inch \$2.00




R-180. Anti-Syphon P Trap. For wall connection. Used in work where drain suction is too great for seal on regular trap.


1½-inch \$3.40

1½-inch 3.65











R-185. Nickel-Plated P Trap.
For wall connection.
114.-inch ......\$1.50
112.-inch ......175





R-176. Anti-Syphon S Trap. For floor c o n-nection. Used in work where drain suction is too great for seal on regular trap. 14-inch ....\$4.00 1½-inch ....\$4.25




.....\$1.75 ..... 1.95



R-186. Flush Valve, For low tank, \$1.50




R-187. Ball Cock. Used in lowdown tanks of all kinds. Equipped with re-fill tube. ..\$1.25




R-188. Screws. For closet bowls, with nickel-plated removable heads and washers. Dozen .....\$0.50

## Laundry Tubs and Supplies





(1)



R-193. Combination Gas Boiler and Water Heater. Has gas water heater built into range boiler which is connected by a circulating tube to top and bottom of the

boiler. Water circulates

continuously from bot-

tom to top of boiler through heater.

through heater.
The heat travels up through a central flue entirely surrounded by water climinating waste heat. Saves labor connecting a separate heater. Can be connected with a coil in the furnace or range. It is economical in gas consumption and will keep hot water constantly. Size 12 by 60 inches. Capacity 21 gallons.

\$17.25

Complete with

R-191, Roll Rim Combination Complete as Illustrated,



\$41975


The latest design in a combination laundry tub and sink. Beautifully white enameled on cast iron. Used especially in kitchens of small apartments or houses where there is no


basement or cellar for a laundry. This combination is equipped with an interchangeable ash wood drain board, beautifully finished, which fits over the tub when not in use, completely covering it, nickel plated soap dish, faucets, and combination drain with trap. Can be furnished with either right or left hand tub but left hand tub as illustrated will be furnished unless otherwise specified. Shipping weight 300 pounds. Length over all 50 inches. Size of tub 24 by 25 inches.



R-194. Combination Laundry Stove and Water Heater. The firepot is hollow, forming a water jacket through which the water passes and is beated, besides heating the room. It will heat from 30 to 80 gallons per hour. Shipping weight, \$10.80

ment Laundry \$ 7.95 R-192. Granitine Laundry Tubs. Washing ceases to be drudgery when you have these modern sanitary tubs installed in your home. They do away with all laborious lifting and carrying of water as you can have an abundant supply of running hot and cold water by simply opening a faucet. The tubs are made of a granitine composition and have metallic rim, brass plug strainer, waste connection and wringer attachment. They are guaranteed by the manufacturer for five years. Tubs of all lengths are 24 inches wide and 16 inches deep and are equipped with the new style laundry tub frames, new style swinging spout faucet and trap to the wall. Trap and faucet are also illustrated and priced separately.





Laundry Trap \$1.10 With Connection



Laundry Faucet \$2.50 Tub Stand \$1.25



R-195. Galvanized Range Boiler. Made of heavy steel galvanized inside and outside and electrically welded. For the average home, we sugaverage home, we suggest the 30-gallon size. Boiler complete includes circulating tube, stand and union couplings for %-inch iron pipe. The tappings arc regular. Standard boilers are for a working pressure up to 85 pounds; extra heavy are for a working pressure up to 150 pounds.

Capacity ....30 gal. 40 gal. Size in. ....12x60 14x60 Stand. comp...\$8.10 \$10.75 Extra Hy, comp 9.55 12.20 Stand. only . 6.50 9.15 Extra Hy, only, 7.95 10.60




18-ft. coil......\$5.95 20-ft. coil.....

R-197. Kerosene Water Heater. You can have hot water piped into bath, kitchen and laundry just as conveniently as if you had a gas water heater. This heater has a cast iron japan finished jacket, double copper coils, new design wick burner, burner.








Pumps 210 Gallons an Hour


Install
One of
These
Systems
and Make
Housework
Easler



Water On Tap At All Times Noiseless In Operation

Cost of Operation Very Small


Average Cost Less Than 10 Cents



#### R-198. GALVANIZED TANK

Electric Automatic Water Supply System.

Outfit complete with 42 gallon tank, wt. 260 lbs. \$5.85 Outfit complete with 80 gallon tank, wt. 325 lbs. 92.95 Complete pump less tank and trimmings, 130 lbs. 66.00



A dependable water supply system for the average-sized home where the depth of well does not exceed 25 feet. Pump is our improved combination, double-acting air and water force pump. Has 1½-inch intake and 1½-inch discharge. Brass lined cylinder 3 inches; stroke, 4 inches, Pumps sufficient amount of air with each stroke to maintain the proper pressure in the tank. Capacity about four gallons perminute. Outfit complete consists of tank, pump, water gauge, pressure gauge, compression drain cock, 1-inch brass gate valve, 1-inch brass check valve, and all necessary elbows, nipples and unions to make connection between pump and tank as shown above. A 34-inch lever handle brass stop cock for main water connection supply is also included.

ı	-			
	Outfit Complete	Capacity Tank	Weight Pounds	Price
П	No. 1	120 gal.	450	\$49.75
	No. 2	145 gal.	500	56.75
	No. 3	180 gal.	550	70.80
	No. 3 No. 4	220 gal.	600	74.15

-203. Non-Freezing Set Length Pump. R-203.


Set Length Pump.


A strictly high grade set length pump, strong and substantially built and of heavy construction. It should not be confused with the lighter types of pumps offered by other houses at almost the same price, is all complete with the cylinder pipe and pump rod. Can be used in connection with wells 60 feet deep and is specially adapted to farm use. Shipping weight 60 pounds.

\$5.85

R-205. Pitcher Spout
For shallow wells not over 20
feet deep. Threaded for iron
pipe connection. By using our
R-142 pump bracket this pump
can be permanently attached to
your sink, doing away with the
old time wooden shelf otherwise on time wooden shelf necessary. Shipping v pounds. Price with 2½ inch cylinder..... Price with 3¼ inch Shipping weight 25 \$1.45 Price with 3½ inch cylinder







R-200. Automatic Cellar Drainer. This Drainer performs its functions by passing water or steam under pressure through the Drainer Point or Jet, thus creating a suction which draws the water from the barrel or box in which the Drainer is placed, into the discharge pipe, and both the jet water and cellar water are discharged together. When the water has been removed from the box or barrel, the valve is instantly closed, and the Drainer becomes inactive until the water again accumulates, when this performance is repeated. Just as often as the water accumulates it is discharged without attention and there is no consumption of city water or steam except at such times as the valve is open and Drain-\$13.45

R-201. Double Acting Force Pump. To be used where the suction lift does not exceed 25 feet. Shipping weight 65

\$11.40


R-202. Air and Water Force Pump. The same pump as our Double Acting Force Pump except that it is equipped with the air attachment. Water can be driven at the same time. Will lift from a depth of 25 feet. Shipping weight 65 pounds.

\$13.50



R-204. Electric Cellar Drainer. The finest, most reliable and efficient operating, electric cellar drainer made. All parts are heavy bronze and brass, so that it will not rust. In spite of our efficient municipal sewerage systems, there are many places where water accumulates by seepage, overflow, floods, etc., that cannot be drained off. This outfit answers your call. The installation is very simple, as it only need be set into a pit and connected to the drain. This connection is ¾ inch iron pipe size and will discharge 900 gallons per hour on a 5 foot lift, 700 gallons on a 10 foot lift and a lesser amount the heavier the lift. A high grade motor is included, with an automatic cutoff and starter. Furnished complete with wire and plug to connect in a regular light socket.

\$49.75



For wells or cisterns not over 25 feet deep. Has 3 inch brass cylinder, valve seat and stuffing box. Furnished with nicely finished hose threaded faucet and tapped for 1 inch pipe connection. Shipping weight 24 pounds.





## of The Finest Material

R-207. Karol Special Water Softener

Soft Water At All Times

Water from which all mineral hardness has been removed. With a KAROL SPECIAL WATER SOFTENER in your home you can have oceans of soft water at your instant command ready to serve you whenever needed in kitchen, laundry and bath.

Economy of Soft Water

KAROL SPECIAL WATER SOFTENER will enable you to do the laundry work in much less time with one-half the soap you now use. Washable clothes will wear twice as long. Soap used with hard water ferms a curd that cannot be rinsed away. The curd ironed into the fabric discolors the clothes causing them to rot. Even dishwashing becomes less tedious when our softener is used. A soft water bath is a positive luxury. Soft water for a shampoo and for shaving is just as desirable. Soft water flowing through the hot water lines will free pipes, water heaters and furnace coils from lime deposit and prevent future formation of scale. It insures long life for your plumbing.

Only One Pumping Outfit Required


Our water softener does away with the unsanitary cistern and with the necessity for two pumping outfits, one for well water and one for eistern water. Hard water is pumped into the KAROL SPECIAL WATER SOFT-ENER and it comes out softened. As the soft water is used there is a continual flow of hard water into the softener, thus supplying an abundant quantity of soft water.

Method of Softening Water

The softening of water is not a mechanical process but is effected by a shftening mineral contained in the tank, which is a permanent part of the softener and should last many years. The mineral while softening the water also filters it. About every fifteen days, the mineral bed should be flushed out with a few pounds of coarse salt to keep it in condition to soften water This operation requires only thirty minutes and is controlled by a simple connections are all that are required to complete the installation which can be made in a few hours by any handy man. Once installed, it gives efficient continuous service without

Height over all 54 inches. Height of tank 48 inches, Diameter of tank 14 inches. Fittings 34-inch. Salt for regeneration 12 pounds. \$84.95





#### R-209. "Wonder" Steel Septic Tank

R-209. "Wonder" Steel Septic Tank

Before offering the "WONDER" septic tank to our public we have thoroughly tested the one we now offer to you. Being made of the best heavy gauge copper bearing metal, freeing it from corrosion, is coated with a mineral enamel which is applied by a hot process and covers all parts of the tank both inside and outside. Moisture, acids and the action of the earth have no effect on this, besides the wonderful construction of the tank itself gives it unlimited life. The "WONDER" steel septic tank meets the rigid inspection of the various state boards of health. In addition to the wonderful features above, besides the bafile plates over the inlet and outlet, it contains a center baffle plate. The installation is a very simple one. In setting them under ground, they should be at least from 12 to 15 inches below the surface and about 10 feet from the building proper. The waste and supply connections to the tank will accommodate 4 inch cast iron or tile pipe.

Specifications and Prices

Specifications and Prices						
	Size	Capacity	Shipping	Capacity	Price	
	of tank	gallons	weight	persons	each	
	31x48 in.	150	175 lbs.	5 to 7	\$15.75	
	38x48 in.	200	225 lbs.	6 to 9	17.30	
	48x48 in.	300	300 lbs.	8 to 12	21,30	
					. 1	

These are the most popular sizes and can be connected up in batteries of 2 or more to increase the capacity, although we can furnish any size septic tank that may be required.


Prices on larger sizes will be given on application.

#### R-211. Automatic Storage Gas Water Heater Hot water at your service all the time

The newest and latest combined tank and gas heater on the market. The tank is constructed of extra heavy sheet steel insulated with several ply of the finest asbestos made. This insulation keeps the heat in the tank, not allowing it to escape as is natural in an exposed outfit. Retains the heat like a thermos bottle and is covered on the outside with a high grade metal beautifully finished. The cost of operation is

very low, operating with the temperature of the water. The gas is automatically turned off when the temperature is at the maximum, and turns on itself when the water is cooled.

Comes complete ready to connect to your pipe. Capacity of tank 20 gallons. Weight about 195 lbs......**\$39.00** 



R-208. Tank Heater To be used with storage tanks up to 200 gallons

A plentiful supply of hot water is no longer considered a luxury but a necessity and can be had in the average home at a very low cost. Our tank heater is especially

adapted for homes or apartment buildings where a large volume of hot water is necessary. It is constructed of the highest grade cast iron and is simple in operation. Will burn hard or soft coal. Grate 12 inches, diameter 20 inches, height 30 inches and weight 235 pounds. \$24.50



R-210. Black Steel Storage Tank To be used in connection with tank heater

Tanks are made of heavy black steel welded. Tested for 150 pounds hydrostatic pressure and guaranteed for a working pressure up to 65 pounds to the square inch.

Can be used for	either vertical of	or horizontal	installation.
Capacity	Size	Weight	Price
85 gallons	20x60 in.	290 lbs.	\$20.80
120 gallons	24x60 in.	350 lbs.	24.60
150 gallons	30x48 in,	400 lbs.	2S.60
180 gailons	30x60 in.	465 lbs.	31.60
220 gallons	30x72 in.	520 lbs.	34.60
Write for prices on	pneumatic pressure	tanks.	








Faucets and Valves

R-212. Combination Laundry Tub Mixing Faucet. This faucet is the same type we furnish with our laundry to be

spout has a hose connection and can be swung into either compartment. Only two connections are necessary, one on the hot and one on the cold water. This faucet eliminates considerable piping required heretofore on single faucet connections. Made in ½" iron pipe size. For 2 part tub. \$2.50


For 3 part tub. \$3.75




R-214. Combina-tion Sink Mix-ing Faucet with China So a p Dish ....\$4.50 



R-215. New Style Compression Bath Cock. With China Lever Handles. Marked "Hot" and "Cold," Made of brass nickel-plated. Price. \$2.25



R-220. Tee Handle Stop and Waste. Rough brass. Al-lows water to drain when shut off. ½-inch .......\$0.65 ¾-inch ............90






R-227. Fuller Stem. Part of Fuller faucet which holds ball and connects with eccentric. \$0.15






R-216. Lever Handle Stop and Waste. Rough brass. Opening allows water to drain when shut off. .....\$0.65




Lever Handle Stop. Rough brass. .....\$0.62

R-226. Bibb Washers. For compression faucets. Sizes ¼", %", ½". Per Doz....\$0.10



0000 

R-217. Fuller Plain Faucet. Polished brass.




R-223. Compression Hose Faucet. Polished brass. Threaded for iron pipe. ½-inch \$0.80 %4-inch .90

R-218. Compression Plain Faucet. Polished brass, Threaded for iron pipe. ½-inch \$0.65 %,-inch ... 80



R-230. Wheel Handle Sill Cock. Can also be used as loose key type. Rough nickel plated. Furnished in ½" and ¾" I. P. threaded for ¾" Hose 65e



R-219. Compression Basin \* Cock. Semi-elevated pattern, marked "Hot" and "Cold." When ordering state which is wanted.\$1.00



Fuller Hose Nickel - plated, flange for iron R-224. pipe. ½ -inch ¾ -inch






R-229. Self-Closing Fancets. Faucets that close automatically and save water bills. Especially adapted for use in large buildings, hotels, etc. Nicket plated, marked "Hot" and "Cold".

and "Cold".
For Lavatory \$2.50
For Sink \$2.20



R-236. Quick-Opening Compression Flanged Faucet. Highly nickel plated. Has china handles marked "Hot" and "Cold". When ordering state which is wanted. For 1/2-inch iron pipe connection...\$1.10



R-239. Cock Hole Cover. For covering openings in sinks, lavatories and bath tubs when faucets are not used. .....\$0.15


R-234. Fuller Eccentric. Part of Fuller faucet on which handle fits and which connects to stem. .....15c R-235. Compression Stop and Waste Valve. Waste Valve.
Used where it is necessary to drain off surplus water in pipe to prevent freezing.
14-inch ... \$0.60
14-inch ... \$0.60



## Drainage — Malleable

Made especially for drainage work. Inside diameter is made to conform with inside diameter of pipe, so that when pipe is screwed into the fitting no burr is left, thus preventing stoppages.

Mallcable fittings of best grade which can be depended on for their even quality. Galvanized fittings should be used for water supply and drainage work. Black fittings are for gas and oil.







							Œ	=	"	-	-	-									
R-240			9	0	0		I	)	r	21	11	a	g	e		Ì	E,	Į į	0	) )}	,
Size	_																τ	٥.	.:	Сŧ	
11/4														٠	٠	٠	Ş	U	٠.	1:	•
																				20	
2	٠	٠	•			,														3(	)



R-245.	Drainage 90° Y Branch	Double
Size Inches		Price
1 1/2 x 1 1	4	



R-250. Malleable 45° Street

Size Inche		Galv.
3/2	\$0.06	\$0.08
1/2		.08
1 %		.10 .18
11/4	19	.30
1 1/2		.3€
2 /2		.60



R-241		4	f.	5	0	I	)	r	ıi	11	a	g	e	I	i.	Ьc	w
Size Inche	s														P	ri	ce
1 1/4														. 5	60	).1	15
11/2														٠		. 2	20
2 "				٠		٠		•		٠	٠		•	٠		.7	30



R-246. Drainage Stre	eet Elbow
Size Inches	Price
11/4	\$0.23
1½	25
Drainage 45° Stree	t Elbow



	_		
	. Malleab	le Street	Elbow
Size Inche	S	Black	Galv.
3/6		80.05	80,06
1/3			.09
3/4		09	.12
1		11	.15
1 1/4			.25
1 1/2		24	.31
2 "			.50



R-255.	Assorted	Nipples	

	Siz	e															(	C	le	)5	e		t	o		6		I	n	c	h	e	9										
I	nel	ıe	9																																31ac				-		lv.		
-	3/																																	S	0.0	3			\$	0.	.0€	3	
	3/8 1/2		•	•	•	•						•		Ċ	Ċ	Ċ			·			٠.	٠.	٠.	Ī.		٠.	٠.	٠.						.0	4					00	,	
	3/4					•	•	٠	•	•	٠	•	•	ï	۰	•		•									Ī								.0	5					07	7	
1	12		•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•								Ī		Ì				,0	7					10	)	
i	14																																		.0	9					15	,	
1	1/2																																		.1	ŏ					18	3	
	72																																		.î	4					24		
4	1/																																		.3					•	_	•	
4	7/2																																			-							
ð																		٠														•		•		•••							



R-259. Standard Union

Size		
Inche	es Black	Galv.
3/8	\$0.12	\$0.18
1/2		.19
3/4		.24
1		.30
11/4		.42
1 1/2		.54
2		.69



R-260, Brass and Iron Ground
Joint Union

	Joint Omon	
Size		Galv.
3/8	\$0.12	\$0.24
1/2		.30
3/4		.35
1		.45
11/4		.70
1 1/2	,60	.90
2		1.20



R-242.	Long	Turn	Drainag
	Eli	bow	

	Etoow	
Size		
Inche	s	Price
1 1/4		60.20
1 17		.25
2 72		35
4		,00



R-247. Long Screw, Galvanized

	Ē	)1	r		d:	ri	ai	ir	ı	15	ζ	:	,	w	0	г	k,				
Size Inche																		P	- 4		
																		\$0			
$1\frac{1}{2}$																			.7	5	
2	•	•	•	•	٠	•	•	•	٠	٠	٠	٠	•	٠	•	•	٠		• ;	<del>)</del> 5	



R-252. Malleable Tee

Inche	Black	Galv.
3/8	 30.06	\$0.08
1/2		.10
3/4	 .09	.12
1	 .12	.17
1 1/4	 .22	.30
1 1/2	 ,26	.40
2	 .42	.65



R-256, Malleable Floor Flange Drilled

Size										
Inche	25								1	Price
3/8									.8	0.06
1/2 3/4									,	.09
3/4										.11
1										.12
11/4										.13
$\frac{1}{2}\frac{\frac{1}{2}}{2}$							į.			.15
2										.21



	Standard	Coupling
Size		

Size		
Inch		Galv.
3/8		\$0.04
1/2		
3/4		
1	07	.09
11/4		.13
11/2		
2 /~		.20
2 1/2		,42
3 '"	45	



R-243. Size	L	r	ai	71 0	1g	e		T			В	ranch
Inches												Price
11/4												\$0,20
1 1/2 x 1 1/4												.30
1 ½		٠.							,	,		.30
9.												50



R-248. Mallcable Elbow

Size	 	DON.
Inche	ack.	Galv.
3/8	 .04	\$0.05
1/2	 .06	.08
$\frac{37}{4}$	 .08	.10
1	 .09	.14
1 1/4	 :15	.20
1 1/2	 .20	.28
2	 .35	.40



R-253.	Malleable	Cross
Size		

Size	Black	Galv.
	\$0.07	\$0.09
1/2		.14
3/4	17	,23
	24	.30
	30	.40
0 /2	41	.55 .84
4	65	.84



R-257. Malleable Ca

	-27/. MA	Menore.	Cup
Size	;		
Inche	es	Black	Galv.
3/8		.\$0.02	\$0,04
1/2		04	.05
3/4		06	.08
1			.12
11/4			.15
1 1/2		13	.18
2		,22	.28



R-262. Bushing

	R-202.	Busning	
Size Inches		Black	Galv.
3%.		. \$0,03	\$0.05
1/2		03	.05
3/4		03	.07
		04	.08
1 1/4		05	.09
1 1/2		06	.14
2		09	.18
2 1/2		13	
$\frac{2\frac{1}{2}}{3}$		20	
4		32	



R-244, Drainage Y Branch
Size
Inches Price
1 ½ \$0.33
1 ½×1¼ 42
-1 ½ 40
2 .55
2-1 1½ .00



R-249. Malleable 45°

	Elbow	-0
Size Inch	es Black	Galv.
3/8	\$0.04	\$0.05
3/8 1/2		.08
3/4		.11
1		.15
114		.25
1 ½ 2		.35
2		.55



R-254.	Malleable	Plug
Size	704 4	

Inches	Black	
3/8	\$0.02	\$0.03
1/2	02	.03
3/4	03	.04
1	0-1	.05
11/4	05	,06
1 1/2	06	.08
2	07	.12




R-258. Malleable Reducing Coupling

Size		
Inches	Black	Galv.
3/8	\$0.03	\$0.04
1/2	05	.06
3/4	06	.08
		.14
		.17
1½		.20
2	22	.32





## Pipe and Fittings



R-263. Standard Gas, Steam and Water Pipe

Best grade of wrought steel pipe free from defects.

Galvanized pipe should be used on supply and waste lines, such as drinking water pipe lines, etc.

Black pipe is used for steam or hot water heating systems and gas work.

All pipe is furnished in 20-foot lengths, which are threaded on both ends and fitted with a coupling on one end. Our prices are based on full lengths and if less is required threads and couplings are not included.

Weight Black Galvanized

Size Inches Per Foot Price Per Ft.

1/2 4/5 .0.14/2 .0.06 2 3% 1.17 .22

3/4 13/4 .05/2 .0.7 2 2/2 5% .27 .27

1 12/4 .0.73/4 .10 3 71/2 .22

m or hot water heating evert

Cast fittings are used mainly in steam or hot water heating systems or on other cheaper installations. cast iron heavily constructed. On Reducing Fittings, the Largest Size Governs the Price.



	R-264	. Cas	t Iron		
Size			Size		
Inches	s I	rice	Inche	S	Price
3/4		0.08	2	8	30.24
1		.09	2 1/2		.44
11/4		.14	3		.66
11/2		.18			



R-268.	Cast	Iron 45°	Elbow
Size		Size	D .
[nches	Price		
3/4	.\$0.06		\$0.20
1			36
114		ð ,	,54
11/2	10		



R-272. Floor Drain Trap
With loose cover provided with
a deep bell scal preventing the escape of sewer gas. Used in basement and garage floors and in passage ways. 

 sage ways.
 \$0.50

 6x6 inches
 \$0.50

 9x9 inches
 90



R-276. Brass Solder Nipple
For soldering to lead pipe or lead
trap to make an iron pipe connec-

tion,															
1/4-inch.	Each													. 20	.14
% -inch.	Each							_	_						.20
1 -inch.															
114 inch.															
1 % -inch.	Each.	•	• •	•	•	٠	٠	٠	٠	•	۰	٠	٠		*00
1 1/2 -inch	Each.				۰	٠	٠	٠	٠	٠	٠	٠			.50






R-2		Cast	Iron	Red	icing	Tee
Size				Size		ъ.
Inche	es	Pric	e	Inche		Ртісе
3/4		.\$0.0		2		\$0.29
1		1		2 1/2		50
1 1/4				3		.75
1 1/2		2	U			




Cast Iron Flanged Union Bize Price Inches Price R-269. Size Inches 1½ .....47e 2½ ......75e 2 .....60e 3 ......90e



R-273. Combination Lead Close Bend and Ferrule
For connecting soil pipe with closet bowl. To be flanged over floor and joint made to bowl with putty.
4x14 inches \$2.40 4x16 inches 2.60





R-278. Back Water Valve
Made of cast iron, To be placed
on the main line to the sewer to
prevent back water. Equipped with
aluminum gate so that the least
pressure either way will instantly
operate it,
Size 4-in, \$5.25
Size 6-in, 7.00



R-2	66. Cast	Iron Elbe	TH'
Size		Size	
Inches	Price	Inches	Price
3/4	\$0.05	2	\$0.18
1	07	21/2	30
1 1/4	10	3	45
11/2	12		



R-270. Cast Iron Close Pattern Return Bend

Size Inches	Price	Size Inches	Price
1	.\$0.13		\$0,35
1 1/2	~ .		1.02



R-274. Galvanized Roof Flange

Fits roof of any pitch. Lead collar at top calks down to soil pipe making tight connection. The flat surface is then covered by shingles or roofing.

	\$0,85 1,00
	1.45



R-279. Floor Drain Trap
For use in basement or garage
floors or passage way. Made of
cast iron, hinged cover. Is equipped
with a deep bell seal eliminating
sewer gas. 



R-267.	Cast	Iron		Elbow
Size Inches	P	rice	Size	Price
	\$0		2	 .\$0.19
1 .		$\frac{80}{11}$	2 1/2 3	
11/2 .		.14		 



Cast Iron Open Pattern Return Bend R-271.

Size		Size	
Inches	Price	Inches	Price
1	\$0.18		\$0.48
11/4	,24		81
1½	,33	3	1,32



R-275. Back Water Sewer Grate with
Copper Float Ball
The only automatic double acting
flood drain made. The copper ball
prevents sewer water backing up into the basement. Drain is provided
with a strainer to close valve when
not in use. Heavy cast iron grate
protects all working parts. Will fit
regular sewer connection.
Each \$2.50






R-281. Combination Lead and Iron Ferrule

4x 4 inches \$0.50
4x 6 inches .85
4x10 inches 1.25
4x14 inches 1.00

## Soil Pipe and Fittings



R-282, Standard and Extra Heavy Weight Single Hub Soil Pipe in 5-Foot Lengths


2	in.	Sta:	nd.	S,	Н.,	wt.	19	lbs.,	per	length	\$0.78
4	in.	Sta	nd.	S.	Н.,	wt.	35	lbs.,	per	length	1.35
2	in.	Ex.	Hy.	. S	. H.,	wt.	29	1bs.,	per	length	1.00
4	in.	Ex.	Ну.	S	. H.,	wt.	65	1bs.,	per	length	2.00



R-283. Standard and Extra Heavy Weight Double Hub Soil Pipe in 5-Foot Lengths

2	in.	Stand	l. D.	Н.,	wt,	20	1bs.,	per	length\$0.80	
4	in.	Stand	l, D,	Η.,	wt.	36	lbs.,	per	length 1.40	
2	in.	Ex. I	Iy, D	. H.,	wt.	30	1bs.,	per	length 1.05	
4	in.	Ex. E	Iy. D	. H.,	wt.	68	lbs.,	per	length 2.15	






R-284. Cast Iron Closet Bend

Used to connect closet bowl to sanitary tee in wall stack. Equipped with adjustable collar which connects to outlet of closet bowl. Furnished tapped on both sides for 1½-inch iron pipe or plain. Size 4x15½ inches.

Price.	Tapped								.\$1.00
Price.	Plain .								90



R-285. Oakum For calking iron soil pipe and 

R-289. Clean-out Plug



R-286. Cast Iron Drum Trap 




R-290. Cast Iron Drum Trap 



R-287. Lead Pipe

Size Per Ft.
1½-in., strong 1.44 lbs.
1½-in., ex. strong 2.1½ lbs.
1½-in., ex. strong 3.1½ lbs.
1½-in., ex. strong 3.1bs.
1¼-in., strong 3.1bs.
1¼-in., ex. strong 3.1½ lbs.
1¼-in., ex. strong 3.1½ lbs.
1¼-in., light 3.1bs.
1¼-in., light 3.1bs.
1½-in., light 4.1bs.
1½-in., light 4.1bs.
1½-in., light 4.1bs.
1½-in., waste 5.1bs.
Price, per pound \$0.11

Prices on all lead goods are subject to market changes. R-287. Lead Pipe





R-288. Plumber's Solder



In bars of 11/4 pounds ..... \$0.65



R-293. Sanitary T Branch

2-in, right or left side opening. Left hand opening shown. Inches Price
4 Standard .....\$1.40
4 Ex. Heavy .....1,55



T Branch R-294. T Branch Tapped for Iron Pipe

Size				
Inches				Price
$2x1\frac{1}{2}$	Stan	d	 	.80.43
4x1½	Stan	id, .	 	6:
4x2	Stan	d.	 	61
2x1 1/2	Ex.	Hy.	 	50
4x1½	Ex.	Hy.	 	80
$4 \times 2$	Ex.	Hy.	 	80



R-299. Quarter Bend

let. Size

2-in, right or left side in-t. Right hand inlet shown,

R-300. P Trap





R-302, Offset

Size					
Inche	S				Price
$2 \times 12$	Sta	nd.			\$0.75
4x12	Sta	nd.			1.05
$2 \times 12$	Ex.	Hy.			.90
$4 \times 12$	Ex.	Hy.			.1.30
Oth	er s	12.65	can	be	fur-
nished	1.				



		307.	£	2	8	; /	1 £	h		B	e	11	d		
- 8	ize														
In	ches												P:	ric	e
	Stan														
	Sta														
2	Ex.	Hy.												.2	5
4	Ex.	Hy.		٠		•					,			្តភិ	5



R-295. Increaser for Ventilat-ing Soil Stack

ing Soil Stack	Inches Price
Inches Price	4x2 Stand\$0.25
2x4x24	4x2 Ex. Hy ,3J
4x24 tapped 1½	,
or 2 in 1.25	)// <u>**</u>
	Real July Bell



		· .			De	
	2-1n.	heel	mle	et.		
	Size					
Ir	ches					Price
4	Star	id				\$0.80
		Hy.				
			-			

Quarter Bend



_		03.	$Q_{I}$	iari	er	E	en	а
	ize							
In	ches						]	Price
2	Stan	id					8	0.25
		id.						
		Hy.						
4	Ex.	Hy.						.55





R-297. Y Branch

R-292. Cross

Tapped for Iron Pipe

Siz	e						
Inch							rice
2x2	Stan	d	 			.80	3.35
	Stan						
	Star						
	Ex.						
	Ex.						
1×4	Ex.	Ну,	 	٠.			.90



	A-304.			ear	I	ı		
S	ize							
Ιn	ches					1	Price	
2	Star	dard			 	. 8	0.95	
4	Star	idard			 		1.60	
2	Ex.	Heav	/у	٠.	 			
	E~	LICAN	FTT				2 00	



R-298, Sanitary T Branch

	:
Inches Pr	1C.
2x2 Stand,\$0	
4x2 Stand	
4x4 Stand	
4x2 Ex. Hy	
4x4 Ex. Hy	.90



R-305. Pipe Rest

	standard or extra soil pipe.	3
Size Inches	Price	
2-inch	\$0.20	
4-inch		5



R-306. Clean-out T


			~	•	-	•••	•	-	٠.		-
5	Size										
	ches										Price
		ıdard									
		idard									
		Heav									
4	Ex.	Heav	y		•	٠	•	•	٠	٠	1.40



## Tools and Supplies



R	308.	S	pii	ral	И	7i	re	ŀ	1	ue	?	(	C	le	a	12 (	eı	٠.			
Size																				Pri	
2 -inch 21/2-inch																				PU	4
3 -inch																				. !	5
	AL-	271	_																		



	R-310.	Flue	Scraper.	
Size			-	Price
3 -inch				1.80



R-309. Asbestos Air-Cell Pipe Covering. For covering pipes on heating systems, Will reduce your coal bills and improve your heating system. Furnished in 3-foot lengths, ¾ inch thick. Complete with canvas jacket and metal bands.

With Canvas	, jacket and	THE COURT DESIGNATION	,
Size	Price per	Size	Price per
Inches	Length	Inches	Length
	\$0.24		\$0.45
		5	84
2 /2	40	0	

R-311. Furnace Putty. Made of asbestos fiber combined with other fireproof materials. Easily worked between joints of boilers and furnaces and when dry becomes as hard as the iron on which it is used.

3-lb. can \$0.35
5-lb. can .45



R-314. Plumber's Putty. Used to set closet bowls and for making connections on enameled fixtures. Can also be used for any putty pur-



R-319. Cutting Oil, A high grade oil for plumbers and steam fitters. Will not thicken in cold weather and will save your tools.

1 gal. cans.......\$1.25



R-323. Automatic Steam Air Vent. Made of brass nickel-plated. For removing air out of steam radia-tors. Closes auto-matically, when matically when radiator is filled with steam. Price, each ......\$0,25



R-312. Asbestos Cement. Uscd

PASTE PIPE

CEMENT

R-315. Pipe Joint Cement. Used on


Used on the reads to make pipe joint tight. Prevents rusting. 1 lh. can ....\$0.35


Damper Regulator. R-326. R-326. Damper Regulator. For use on hot water supply and hot water heating boilers. It saves its cost many times during the heating season, as it operates against the temperature of the water, opening and closing the draft accordingly. Complete with chain, pulleys, screws, weights and rods. \$12.50


#### 00000000000000



R-316. Plumber's Torch. Made of high grade polished brass, Used for soldering, burning off old paint, thawing frozen water pipes, etc. It is very convenient around the home for repair johs on automobiles, radios, plumbing, etc. Holds one quart of gasoline......\$3,75








R-327. Genuine Trimo Pipe Wrench. This is a highly recommended, well made, durable pipe

wrench.	Abs	solute.	ly	gua	ırant	eed.	
10-inch	holds	pipe	1/8	to	1	inch	.\$0,90
14-inch	holds	pipe	1/4	to	$1\frac{1}{2}$	inch	. 1.15
18-inch	holds	pipe	1/4	to	2	inch	. 1.90
24-inch	holds	pipe	1/4	to	21/2	inch	. 2,70
36-inch	holds	pipe	1/2	to	3 1/2	inch	. 5.00



R-317. Plumber's Gasoline Blast Furnace. Used for melting lead and solder and, by removing top, may be used as a torch for thawing water pipes. The best constructed furnace on the market. Capacity of reservoir one gallon.. \$5.50




R-318. Pouring Ladle. Made of malleable iron for pouring lead and solder. ...........\$0.35



R-322. Guaranteed Stillson Wrench. Made of high grade tool steel. Parts are interchangeable with any standard Stillson wrench. 10-inch holds pipe ½ to 1 inch....\$0.75 14-inch holds pipe ¼ to 1½ inch.....1.05 18-inch holds pipe ¼ to 2 inch......1.50



R-325. Melting Pot. Made of cast iron for melting lead and solder. Used in connection with plumber's furnace. Size 5 inch....\$0.45



R-328. Easy Pipe Threader. For threading wrought pipe. Stocks are made of malleable iron and dies are of tempered tool steel.

No. 1 Stock and 5 dies ½ to 1 in...\$6.30

No. 2 Stock and 3 dies 1½ to 2 in...\$6.30

Extra Dies and Guides

No. 1 Dies...\$0.95 Guides...\$0.25


No. 2 Dies...\$1.50 Guides...\$45

Heating Accessories



R-329. Hot Water Radiator Valve. Made of solid brass, nickel-plated. One half turn opens valve to full capacity.

Inche																	Price
34																	
1																	
1 1/4																	
1 1/2	٠	•	٠	•	٠	•	•	•	٠	•	•	•	•	•	•	•	1.74




R-333. Hot Water Union Elbow. For hot water radiators, Made of solid brass nickel plated.

Inche		Price
3/4	 	\$0.50
1	 	60
11/4	 	80
1 1/2	 	, 1.00



R-343. Hanger Rings. Made of steel band for hanging pipes. Furnished complete with bolts.

Size In.		3/4	1	11/4
Price, ea.		.5c	6e	<b>7e</b>
Size In.	$1\frac{1}{2}$	2	21/2	3
Price, ea,	.8e	9e	10e	11e



R-347. Boiler Compound. For stopping leaks in cast iron steam or hot water heating boilers.

Dollers.	
Qt, Can	 \$2.50



R-330. Steam Radiator Valve. Made of solid brass, nickelplated and equipped with best quality composition disc.

Size	y composition	
Inche		Price
34 :		
1		1.20
11/4 .		1.50
1 1/2		1.95




R-334. Size	Swing	Check	Valve.
Inches			Price
3/4 .	<i></i>		88
4 .			. 4.00



R-339. Square Head Steam Cock. Made of solid brass. Used for shut-off in feed water line to steam or hot water boiler.

Size			1,	 •							
Inches	3										Price
1/2 .		 								. !	\$0.55
%4 .	•						٠				.75
1											1.05



R-344. Steel Wire Flue Brush.
For cleaning cast iron heating boilers and furnaces.
Tapped for % inch iron pipe size.
Size
Inches Price
2x4x6 ... \$1,00



R-348. Low Pressure Pop Safety Valve.

Used on steam heating boilers. Made of iron and brass. Valves are set to blow off at 15 pounds.

10 pounds.	
Size	
Inches	Price
3/4	\$2.10
1	2.40
11/4	2.70
1 1/	9.90



R-331. Brass Globe Valve. Heavily made. Will stand 100 lbs. pressure. Size Stand- Composi-Inches ard tion Disc

Inches	ard	tion Disc
3/8	\$0.48	\$0.75
1/2	56	.96
1 <sup>3/4</sup>		1,32
1	1.00	1.68
114	1.41	2.40
1½	1,96	3.30
2	2.96	5.25



R-335. Vertical Check Valve.
Size
Inches Price
½ \$0.50
¾ 63
¼ 63
1 ,90
1¼ 1,26
1½ 1,75
2 2,65



R-340. Graphite Packing 1/4 pound reel ..... \$0.35





R-332. Gate Valve.
Size
Inches Pric
1/2 \$0.8
3/4 1.0
1 1.4
1 1/4 1.8



R-336. Horizontal Check Valve.

			1	V	a	l	V	е.							
s															Price
,															\$0.45
															80
															1.13
															1.60
															2.37
		 		S	S	S	S	5	5	- 	S	S	S	5	



R-341. Rubber Diaphragms.
Used on low pressure steam boilers.
Size
Inches Price
7 \$0.45
8 .51
9 .60
10 .75



R-346. Galvanized Expansion Tank. Used on hot water heating system to provide for contraction and expansion of water. Made of steel, galvanized inside and outside, Tank is furnished complete with water gauge. Size of inlet and overflow is 1 inch. Canacity Price

Capacity Price 10 gallons. \$ 7.80 15 gallons. 8.55 20 gallons. 11.40 26 gallons. 12.60

R-349. Hot Water Thermometer. For hot water leating systems. Indicates temperature up to 260 degrees. Size of pipe thread ½ inch.


Each .....\$0.75



R-337, Angle Valve,
Size
Inches Price
1½ \$0.56
24 70
1 1.00
144 1.41
1.92 1.98
2 2.98



R-338. Floor and Ceiling Plates. Nickel-plated steel adjustable floor and ceiling plates to be used where steam or hot water pipes are exposed in the rooms. Size In. ¾ 1 1 1½ 1½ 2 Price ca. 7c 9c 10c 11c 12c





R-350. Altitude Gauge. For showing height of water in hot water heating boiler. Diameter 4½ inches. Threaded for ½ inches. Threaded for ½ shows inches. S1.65



## Hand Forged Tools

R-353. These hand forged tools are made of the hardest, toughest tool steel and are guaranteed against defects when properly used.

For prices refer to the list following, using number of tool on the illustration.

R-351. Pipe Vise, made of malleable iron. Steel jaws. Has side latch and hinge allowing frame to be opened quickly for removing pipe. Extra heavy lype. Holds pipe ½ to 2½ inch. \$3.35



R-352. Ratchet Stock Complete, \$12.00. Toledo Type Ratchet Stock and Dies.

Toledo Type Ratchet Stock and Dies.

The easiest operating threading device that was ever offered. A boy can operate it successfully. It consists of only three main parts, the rear portion or pipe holder, the taper pin section which is the center and the die head section which is the front. The feature of the outfit is the ratchet attachment which not only makes the threading a simple matter but enables the user to get in the close places to thread pipe without using both hands. The complete set in a nice wooden box contains two handles, the stock, and all dies and guides from 1 inch to 2 inch inclusive.

This outfit can be furnished with an adaptor whereby your small solid dies can be used eliminating the necessity of carrying two sets of tools.





40-1 40-1/2 SUMP POSED TOTAL THE	No. 40 40	Price  ½ Brace Reamer
35 RL 36	THR 35 36	½ Hand Reamer
LP-2	BI-8	1/2×10 Bending Iron
	BI-9	5/8x10 Bending Iron
33-34	RL	5%x9 Right and Left Calkers, Prs. 1.50
	LP-2 LP-1	1/2x9 Lead Picking Tool, Prs 1.20 1/2x9 Lead Picking Tool, Straight,
B-10 B-19	LF-I	Single
7 8 33	33	3/4 Long Calkers, Prs 1.20
	33	5/8 Long Calkers, Prs 1.00
	33	1/2 Long Calkers, Prs80
	O33 O33	34 Offset Long Calkers, Prs 1.40 54 Offset Long Calkers, Prs 1.20
50	O33	1/2 Offset Long Calkers, Prs 1.00
	21	½ Pony Calkers, Prs
	86 86	5% Cold Chisel       .40         3/4 Cold Chisel       .455
033	86	34 Cold Chisel
LP186-1 34 % 34 76	37	1/2 Soil Pipe Chisel
	37	5% Soil Pipe Chisel
1 31 100 10 20	37 37	34         Soil Pipe Chisel
122 34 4 34	34	T Screw Drivers, 3 Blades
	CC	5/8x12 Ceiling Calker 1.50
	22 31	3/8 Gas Fitters' Calker
2 1	31	34 Short Gasket Calker
20	131	5/8 Long Gasket Calker
cc 1220 \ A A A A A A A A A A A A A A A A A A	131	34 Long Gasket Calker
31-34	20 4	½ Elbow Calker         .40           5% Plugging Chisel         .70
(1.2 (d.)	5	3/8 Stock 5/8 Cut Floor Chisel60
18 (9	5	½ Stock ¾ Cut Floor Chisel 80
	5 5	5% Stock 1 Cut Floor Chisel 1.00 34 Stock 1% Cut Floor Chisel 1.20
5-3% 1/2 3/4 3/4	18	15 x7 Sq. Scratch Awl
	19	3x7 Oct. Scratch Awl
	CG 14	%x12 Concrete Gad
	14	5/8x12 Offset Yarner
	14	3/4x14 Offset Yarner 1.20
	14 6	1/2x11 Offset Yarner
	6	5/8x12 Spring Yarner
Can tan tan tan tan tan tan tan tan tan t	6	3/4x14 Spring Yarner 1.20
	6	5\% x18 Spring Yarner 1.20 \(\frac{1}{2}\x18\) Spring Yarner 1.10
	29	3/4x7 Slitting Chisel
	29	5/8x6 Slitting Chisel
CG 14 3/412 3/412 1/211 29 LC 29 6 3/642 3/414 3/618 1/216 13 1/642 5/648	LC 13	Lead Cutter       3.00         3/4 Star Drill       1.40
10014 10010	13	74 Star Drill

## Jacketed Boilers

FOR STEAM AND HOT WATER

BEAUTY and EFFICIENCY

The STEEL JACKET heating boiler marks the greatest improvement in heating equipment you can have in your home. It is absolutely without equal for producing heat, for conserving heat and concentrating heat. In designing this beautiful boiler for your home, we have taken into consideration the desires of a home owner. A home owner seeks a beautiful bathroom with beautiful fixtures; and now you can have

a beautiful basement and an efficient heating boiler.

BURNING YOUR COAL TWO TIMES MEANS GREAT SAVINGS This steel case is insulated with one inch

This steel case is insulated with one inch thick air-cell asbestos throughout. This casing being insulated keeps all the heat inside the boiler, as no cold air can reach or escape it. Heating engineers everywhere claim that when a boiler is covered as is this one, the efficiency is greatly increased. It follows out the idea of the government's experts in burning the coal two times.

The sectional illustration shows the interior view, also the air-cell asbestos, so that you may see for yourself the construction of the m ost efficient boiler possible for the residential home. Do not be misled, or confuse this style JACKETED boiler with some of those on the market today equipped with a square jacket on a round boiler. The proper efficiency cannot be had from this construction. In other words you get nothing more than what a regular round boiler; offers and pay additional money for the covering.


Note thick air-cell asbestos, that is on the inside of the steel easing. This asbestos covers the entire boiler.

Note the individual firetravels, Regardless of how many sections the boiler may have, each section carries its individual fire-travel and is surrounded by water on three sides.

Fach section has an exfra water section which haugs into the fire-powaright over the flames. Regardless of how many sections the boiler may have, each section carries an extra water section.

A clinker can be crushed between any two grates, saving the dropping of the fire over the whole fire bed. They allow 52% of air to pass through them, yet—burn No. 1 Buckwheat or Soft Coal efficiently.

The exceptionally large base has plenty of air space. The air passes through the grates with ease and helps to make proper combustion in the fuel bed.



R-355. Steam Boiler Tappings

3 in.

3 in.

LARGER SIZES ARE QUOTED ON APPLICATIONS All prices on heating materials are subject to change without notice.

Boiler	Rating	Tappings	Smoke	
Number	Square	Supply	Pipe	Price
Hot Water	Feet	Return	Size	
W-1-J-5	850	3 in.	7 in.	\$ 91.00
W-1-J-6	1100	3 in.	8 in.	112.00
W-1-J-7	1359	3 in.	8 in.	133.00
W-1-J-8	1700	3 in.	8 in.	154.00
W-2-J-6	2100	S in.	8 in.	236,00
W-2-J-7	2600	3 in.	S in.	265.00
W-2-J-S	3000	3 in.	8 in.	294.00
LAR	GER SIZES A	RE OUOTED ON		
		wiels ore subject		

R-354, Hot Water Boiler

LARGER SIZES ARE QUOTED ON APPLICATIONS
All prices on heating materials are subject to change without notice.

R-356. Hot Water Coil R-357.

R-357. Low Pressure Automatic Damper Regulator

Boiler

Number Steam S-1-J-5 S-1-J-6 S-1-J-7

For Steam Boilers \$4.95

Made of cast iron and can be taken apart to replace diaphragm. Not necessary to discard the entire regulator as is the case when buying a one-piece outfit with the metal bellows. Diaphragm shown under figure R-341.



Rating

Square Feet 500 650

1800



Smoke

8 in. 8 in. Price

\$102.50 126.09 149.50 173.00 236.00 265.00 294.00

\$1.00 st iron hot water coi

Cast iron hot water coil for use in connection

with boilers of all makes, which will heat up to 50 gallons per hour. Comes equipped with pipe and fittings to bring connection through fire pot openings. When ordering specify spread.

Furnace coils to fit any furnace...........\$1.00

Page 25



## Heating Boilers

#### KAROL Steam and Water Boilers for Hard and Soft Coal, Coke, Lignite or Oil

A Hot Water Coil Furnished Free with Every Boiler

KAROL Steam and Water Boilers have been most carefully designed and constructed with the view of giving the householder honest value in return for every dollar he invests in one of our heating plants. All of our boilers are manufactured in strict conformity with the best known and recognized boiler construction codes. Each boiler has the proper marking cast upon the dome section; designating that it is so constructed. This is an important safeguard in purchasing hot water or steam boilers.

There is no greater advantage or value to be added to your home than the comforts offered by a good STEAM or HOT WATER HEATING plant. This convenience is now available to every home owner at a very small cost, due to the wonders obtained from our engineering service, where ideas, methods, etc., have been thoroughly studied. Heating plants of this type are much more sanitary and considerably more healthful. You will not have cold drafts sweeping over the floors or cold corners in the house. Your home will always be evenly heated to a uniform temperature with less fuel need, than on any other type or make of heating system. The only attention that really must be given is to refill with fuel, and this is so simple an operation that any child can take care of it.

We maintain a staff of heating experts who figure out your requirements if you will send a sketch of your building showing the layout of your rooms, the locations of the radiators, and the style or type that you may desire. Our draftsmen will design your complete job and besides serve you with a blue print working plan that will enable you or any handy man to install your job and besides save you a lot of money.

The pig iron which is used in making our boilers must pass a rigid chemical analysis before being accepted by us, and is afterward melted under most careful supervision by a competent engineer.

The machining operations are done with machine-shop equipment especially built for the purpose. Each machine operation performed is tested with an accurate jig. The

highest possible standard is assured you when you purchase our boiler. We absolutely guarantee against defects, both in material and workmanship, therefore all defective castings will be replaced free of charge.



R-359. Steam Boiler

#### MEASUREMENTS AND RATING DATA R-359—Steam Boilers

Size of Boiler	Rating Square Feet	Height to Top Outlet	Size Grate Diam.	Size of Tapping	Size Smoke Pipe	Shipping Weight Pounds	Price
420-S 520-S 620-S 423-S 523-S 623-S 526-S 620-S 529-S 629-S	400 450 500 550 600 700 850 900 1100	49 in. 55 in. 60 in. 51 in. 57 in. 62 in. 63 in. 58 in. 65 in.	20 in. 20 in. 20 in. 23 in. 23 in. 23 in. 26 in. 26 in. 29 in.	2½ in. 2½ in. 2½ in. 3 in. 3 in. 3 in. 3 in. 4 in.	8 in, 8 in, 8 in, 8 in, 8 in, 6 in, 10 in, 10 in, 10 in,	850 950 1065 1050 1160 1300 1350 1525 1680 1850	\$ 88.20 97.65 106.05 99.50 108.50 125.25 122.00 157.00 156.60

#### R-358-Water Boilers

Size	Rating	Height	Size	Size	Size	Shipping	Price
of	Square	to Top	Grate	of	Smoke	Weight	
Boiler	Feet	Outlet	Diam.	Tapping	Pipe	Pounds	
420-W 520-W 620-W 423-W 523-W 623-W 526-W 526-W 529-W 629-W	700 750 800 900 1000 1100 1300 1400 1700	45 in. 49 in. 55 in. 45 in. 50 in. 56 in. 52 in. 57 in. 54 in. 58 in.	20 in. 20 in. 20 in. 20 in. 23 in. 23 in. 26 in. 26 in. 29 in. 29 in.	2½ in. 2½ in. 2½ in. 3 in. 3 in. 3 in. 4 in.	8 in. 8 in. 8 in. 8 in. 8 in. 8 in. 10 in. 10 in. 10 in.	750 850 965 910 1050 1200 1230 1425 1490 1690	\$ 71.15 79.75 \$8.20 83.00 93.00 108.00 107.50 137.50 156.55 178.75

All Prices on Heating Materials are Subject to Change Without Notice.





# Radiators for Hot Water or Steam

Our new "ARTISTIC" type radiators impress all the name implies. Our heating engineers worked incessantly and perfected a radiator which cannot be surpassed in beauty, design and heating efficiency. A large opening between the tubes or columns and increased air space between the sections contribute a speedy transmission of heat; while smaller than the old type, the air cir-

culating freely and rapidly above each section increases its radiating surface and efficiency. The most skeptical can now be convinced as to its classical beauty and graceful contour of perfection, this harmonizing with the most delicate decorations and interior finish.

All of our radiators are made of the best quality iron, thoroughly tested and absolutely guaranteed to be free from all imperfections. They are all finished off perfectly and are made strong and solid so that the roughest of handling can do them no harm. Radiators are furnished in any number of sections that may be desired.



R-360. 7 Tube Radiator.


The most popular for placing under windows, being wide enough to place a seat on. Being 12 inches wide on this account does not require as long a radiator as the other styles for the regulation living or dining room where usually placed. Carried in 2 heights.

20 in. high, 3% ft. per section.

Price per foot .........\$0.35

17 in. high, 3 ft. per section.

Price per foot ........\$0.36




is a more or less special type of radiator as it carries considerable radiation and still is small. Carried in 2 heights.

38 in. high, 6 ft. per section.

Price per foot ........\$0.32

20 in. high, 3 ft. per section.


Price per foot .......\$0.35



R-362. 5 Tube Radiator. The regular standard type, cheapest of all and generally used in all heating jobs. Carried in three heights.

38 in. high, 5 ft. per section.

38 in. high, 5 ft. per section. Price per foot .......\$0.32
26 in. high, 3½ ft. per section. Price per foot .......\$0.34
20 in. high, 2¾ ft. per section. Price per foot .......\$0.35



R-363. 4 Tube Radiator. This type is used in narrow rooms being only 6½ inches wide. Carried only in 38 inches high; has 4¼ ft. per section. Price per foot .......\$0.33



## Karollarm Air Furnace

"For Those Who Want the Best'
Surprisingly I ow Prices



A Hot Water Coil is furnished free with every

Furnace.

THERE is no better furnace for durability, economy, ease of operation or installing—than the Karol. They are scientifically designed by expert heating engineers to produce a maximum amount of heat with less fuel.

Compare the weight, construction and specifications of this furnace with other furnaces and you will be convinced (considering quality); it is, today's greatest furnace value.

We have gained the confidence of the buying public, by building our furnaces without exception, to the highest standard of quality. It's
usually the hidden parts of a furnace that test its
ability to give solid comfort all winter long.
Karol furnaces assure dependable performance—
we do not substitute cheaper materials to lower
our price. Every part has a guaranteed quality.

Karol Warm Air Furnaces are fitted with the improved flat type, draw center clinker free grates. They are furnished with the one piece heavy corrugated fire pots as pictured.

#### R-364 Warm Air Pipe Furnace



Furnace Numbers	I Size Inches	Diameter Casing Inches		Diameter Smoke Pipe Inches	Size Feed Door	Heating Capacity Cu. Ft.	Approx. Ship. Wts. Complete with Casings Pounds	Pric
418A	18	36	57	8	10 x13	10,000	900	\$ 55.0
420A	20	39	60	8	$10 \times 13$	14,000	1,025	65.0
422A	22	42	62	9	11 x14	22,000	1,125	70.0
424A	24	45	64	9	11 x14	28,000	1,250	80.0
428A	28	59	67	10	11½x16½	45,000	1,550	105.0

Shipped from Chicago stock.

# The Ideal Heating Plant Heating Home With One Pipe

THE pipeless furnace is the ideal heating plant for heating an entire home with one pipe. This furnace is of the same construction and embodies all the improved features as our pipe furnace, the only difference being in casing.

The casings on our pipeless furnaces are constructed of three separate and distinct galvanized casings. These are as follows: The outer casing. The descending cool air from the room above is returned between this outer and inner casing. We next have the inner casing and we then have an extreme inner casing, or a casing that is spaced one inch from the inner casing, and this spacing is to permit an air space between the ascending warm air and the descending cool air, as the warm air ascends through the extreme inner casing while the cool air descends between the inner casing and the outer casing. This style casing is much more efficient and trouble proof than any makeshift casings lined with such materials as asbestos sheets and bright tin that are used in cheaper furnaces.

#### Oxidized Steel Register

Karol Pipeless Furnaces are furnished with a fabricated steel register, oxidized finished, har-

HUND DIVIED

SENONS SAILS

SEN

monizing with the finest furnishings. This type of register is stronger and more efficient than the ordinary cast registers. The fabricated steel re-

gister has about 40% more free air space than a cast register. It has an actual open area of about 82%, an important factor in pipeless furnaces.

R-365
Pipeless
Furnace

	Furnace Numbers	Size	Casing	Height of er Casing Adjustable From	Dia- meter Smoke Pipe Inches	Siz Fee Do	ed or	Register Size Inches	Heating Capacity Cu. Ft.	Approx. Shipping Weight Complete Pounds	Price
	518A	18	40	6 ft. to 8 ft.	8	10	x13	28x28	10,000	1,025	\$ 65.00
	520A	20	43	6 ft. to 8 ft.	8	10	x13	$30 \times 30$	14,000	1,190	75.00
	522A	22	46	6 ft. to 8 ft.	9	11	x14	$34 \times 34$	22,000	1,350	85.00
	524A	24		6 ft. to 8 ft.	9	11	x14	36x36	28,000	1,500	95.00
1	528A	28		6 ft. to 8 ft.	10	111/	2x161/2	42x42	45,000	1,875	120.00
	Note th	he hea	avy weig	ght of this	furnace.						

Shipped from Chicago stock.




## Exclusive Karol Features Insure Confidence and Lustomer Satisfaction




#### All Joints Positively Gas Tight One-Piece Corrugated Fire Pot

The fire pot is of the approved one-piece construction. casting is extra heavy, and has deep corrugations which add to the strength and life of the fire pot. The corrugations are both out and inside and assure a constant circulation of air to the burning fuel around the edge of the fire pot.




#### High Feed Section Corrugated—Dome-Shaped

Made of heavy cast iron, has deep corrugations inside as well as outside. The high and dome shape causes gases and smoke to burn quickly. All joints are positively gas tight.



#### Oversize One Piece Radiator

Made in one piece of the highest quality cast iron. It is much larger in diameter and heating surfarger in diameter and heating surface than most furnaces. It is of horseshoe shape and extends around and over the fire dome. All heat and unburned gases must pass entirely through this radiator before going into the chimney, thus utilizing every atom of heat.



This heavy fabricated steel register neatly finished in oxidized copper har-monizes with the finest decorations. It is regular equipment in our pipeless furnace.



#### Ash Pit Showing Improved Flat Grate Assembly Grates are Roller Bearing

The ash pit is high and made extra heavy which assures a roomy pit and a firm, substantial foundation for the heavy upper sections. A high ash pit also prevents the hurning out of grates vents the burning out of grates.

Grates are the improved flat type with the center drop clinker right waist high shaker handle which works easily on roller bearings and avoids stooping.




Cleanout and Smoke Pipe Collars



Both the cleanout collar and the smoke collar have deep grooves that are filled with asbestos packing and furnace cement, this gives you a double lap seal joint and is extra safeguard. Asbestos sing is furnished with each Asbestos packing furnace.

large easily accessible water pan or humidifier which sets directly under feed door, close to fire pot. This water pan assures healthful moist air in every

## Automatic Hot Water Pressure System



Eliminate the expansion tank, carry a uniform and slightly higher pressure in the system and decrease the air pockets in high points of piping as a result.


Save a very definite amount of fuel — allow the water to absorb more heat from the boiler due to the higher pressure, this speeds up the circula-tion so the water reaches the radiators piping hot. R-366.....Price \$14.75

THE IMPROVED MODEL -


Built of bronze, the Control has a large, easily cleaned strainer ahead of the working parts for their protection; a wide opening regulator to supply the water, this also protected by another strainer and-

A By-Pass Valve that is used to fill the system quickly and prevent foreign matter in the piping from choking up the entire unit-

All within one compact sturdy body casing.



What It Accomplishes-reduces air pockets due to the higher pressure carried and consequently speeds up circulation. This feature is naturally a great fuel saver. Completely replaces the expansion tank and tank piping with a compact automatic unit that requires no watching or worry-and costs considerably less.



Automatic—the old way was to periodically fill the hot water system by hand-then constantly watch it.

With the Control it is filled once by hand—then forgotten. Installation—easily installed on both old and new jobs one size is adequate for all installations. Simply cut out a six-inch length of the supply pipe to the system and install the Control—that's all!

How It Operates—the unit is a combined regulator, relief valve, by-pass valve and strainer. Once installed, and the system filled through the by-pass, the action is automatic.

### Register Fittings for Warm Air Furnaces

R-367. Wall Box for One Register.
Use with first floor baseboard registers. Base is extra wide, the baseboard to be entirely cut away as the base of the box will project beyond. Allows a large volume of air to pass to the register.




For Size	
Register	Price
8x10	\$1.38
9x12	1.44
10x12	1.59
11x13	1.92



efficient funnel pattern.	Strongly
made.	
For Register Size	
Size Collar	Price
8x10 8	\$0.43
9x129	.52
10x1210	.58
12x1412	,69
14×1614	1.15

R-368. Wall Box for Two Registers.

Extra large capacity. Used on first floor baseboard where it is desired to heat two adjoining rooms with a single lead of pipe.



R-371. Wall Box for One Register for Fitting on the Second Floor.

For baseboard register. Narrow throat to fit the regular narrow wall stack going through the plaster to reach second floor.

For For For Size Size Regis Wall ter Stack Price 8x10 3x10 \$1.38 9x12 3x12 1.44

(See next page for additional fittings.)

R-369. Second Floor Double Wall Box. For heating two adjoining rooms on second floor. Bottom of register comes flush with floor.





R-372. Boot for Register Box. first floor wall box for one register. R-372A. For first floor wall box for

two ice	51310131		
Size Re	gister Col		R-372A
and Wa	ll Box Inc	hes Price	Price
8x10	9		\$1.6S
9x12	10		1.80
10x12	10	1.56	1.92
11x13	12	1.86	2.52




R-373. Asbestos Paper. For covering furnace pipes. This asbestos paper is an absolutely fireproof material being made of natural mineral asbestos fibers reduced to a pulp and spread out into a sheet of uniform thickness. 50 pound rolls sufficient for a furnace outfit.

Price per roll .......\$4.00 Cold Water Paste, 2½ lb. pkg. .35



## Registers, Pipe and Fittings





R-377. Boot and Offset. For offset-ting girders in the barement to reach first floor wall boxes where base-board registers are used. For single opening first floor wall

For single opening mist not	or wan
box,	
Size Register Size	
and Wall Box Collar	Price
8x10 9	\$2,34
9x1210	2.46
	2.64
11x1312	3.36
R-378. For double opening	ıg.
Size Register Size	
and Wall Box Collar	Price
8x10 9	\$2.67
$9 \times 12 \dots 10$	2.94
	3.15
11x1312	4.10



R-384. Floor and Ceiling Register,
Pressed steel, Used to let heat
from first floor up to second floor.
Recommended for heating with pipeless furnaces to distribute the heat.
The ceiling part is enameled white
and the floor register is black japan.
Held seenrely together by strong
steel springs and is adjustable from
7 to 12 inches.

1 10 14	- 1	11	и	. 1	15	33	١.								
Size Inc	h	e	5												Price
$8 \times 10$												٠			\$2.64
9x12															3,24
$10 \times 12$															3.84
10x14														i	4.56
12x14															6.00



R-385. Stack Boot for Second Floor.

Used in connection with double stack to second floor.

For Stack	Size	
Size	Collar	Price
3×10	8	\$1.20
3x12		1.41



Registers. If you wish a border with register, be sure to order it separately at the price shown. The back of register frame is equipped with improved shutters with foot pedal.

Always specify a register having a combined area of openings equal to the area of the warm air pipe which supplies it. For instance, a 9-inch pipe should have at least a 9x12 register.

Registers

Size

Black Oxidized

	Trem intero	
Size	Black	Oxidized
Inches	Japan	Copper
8x10	\$0.99	\$1.89
9x12	1.26	2.40
10x12	1,44	2.64
12x14	2.61	4,11
12/14	Borders	
	TO 1	():d:-od
Size	Black	Oxidized
Inches	Japan	Copper
8x10	\$0.75	\$1.65
9x12		2.13
10×12	1.05	2,25
12x14	1.68	3.21
Prices	for larger sizes on	applica-
tion.		



Smoke Pipe Damper. Simple ective. Saves coal bills. and effective.



R-386. Galvanized Elbows for Smoke and Cold Air Pipe. Adjustable to any angle. Very convenient for making odd turns, etc., such as are occasionally encountered to overcome obstructions in basements. Made of 26-gauge galvanized iron.

Size

Size

Size	Size
Inches Price	Inches Price
7\$0.36	14\$1.05
8	16 1.35 18 1.65
9	20 1.90
10	22 2.20
12	24 2.60



Adjustable Elbons for Warm R-389. Adjustable Elbons for Warm Air Pipe. Adjustable to any angle from straight to 90 degrees. For making connection from furnace to register boxes, stacks, etc., in basement.


Size Inches Price Inches Price Inches Price 10 ... \$0.35 8 ... \$0.28 12 ... \$50 9 ... \$30 14 ... \$85

	Baseboard	
an be	removed for	
er.	Made of press	į
size	wanted.	
	Black Oxidize	

R-375. S Face ca out regist Mention Register. ed steel. Oxidized White Copper Japan \$2.10 \$1.41 Size Japan \$1.41 2.10 2.76 3.15 Inches 11x13




R-380.	Warm Air Dam	per. Easily at
	Efficient and	satisfactory.
Size		D '
Inches		Price
8		\$0.20
9 *		
10		
12		
14		
		4



R-382. Furnace Shoe for Round Cold Air Pipe. For connecting round cold air pipe into bottom of furnace casing. Collar can be adjusted from angle of 90 degrees to straight out. Made of 26-gauge galvanized steel. Mention diameter of furnace. Size of

Size of Ship.	
Collar Wt. Lbs.	Price
16 in 7	\$3.72
18 in 8	4,35
20 in 9	4.89
22 in10	5.70
24 in12	(1.42



R-387. Donble Tin Safety Wall Pipe. Self-locking double construction. Lengths range from 2 inches up to 2 fect. Any length can be obtained without cutting, by assembling sections of different length and using our adjustable stack joint. Prices given are per piece in lengths as indicated.

Size
Stack Length of Piece, Inches
Inches 2 4 6 9 12 24
3x10 30c 36c 42c 54c 60c \$1.08
3x12 26c 42c 48c 60c 69c 1.20



R-390. Boot and Offset for Second Floor. For offsetting girders in basement, to make connection to our standard double wall stack. For Stack Collar Price Inches Inches Sax10. 8 \$1.86 3x12. 9 2.07



R-376. Steel and Wood Cold Air

races.	Very Attractive	
	Wood	
Size	Oak	Black
Inches	Finish	Japan
16x20	\$1.33	\$ 3.05
20x24		4.30
$24 \times 30$	3.00	8.60
$30 \times 30$	, 3.75	10.75



R-381. Pitch Bonnet Collar. (Galvanized). For connecting warm air pipe to curved side of pitch bonnet of furnace casing. Size Inches ches Fruce \$0.24
\$0.24
28
30
30
36
458



R-383. Adjustable Stack Joint. T wo pieces of Wall Stack telescoping within each other. Length can be adjusted within 1/100-inch from 7 to 13 inches. Should be used on every stack leading to the second floor. For Size Stack Price 3x10 \$0.90



R-388. Galvanized Pipe for Smoke or Cold Air. Made of 26-gauge galvanized iron. Shipped nested, Joints are fitted and the pipe assembled on the job. Improved patented lock scam needs only to be hammered down. Furnished in two-foot lengths.

Size	Price		Price
Inches	per Lgth.	Inches	per Lgth.
	\$0.39	14	\$0.70
			80
	43		,95
9	47	20	1,10
10	,52	22	1.35
12	62	24	1,60
12			



R-391. Nested Tin Furnace Pipe.
Shipped nested, as illustrated.
Special patented joint makes assembling simple. Needs only an ordinary hammer to hammer down the seam. Furnished in two-foot lengths.

Size Price	· Size Price
Inches per Lgth,	Inches per Lgth, 10\$0.50
8\$0.40	1260
9	14

## B-KAROL& SONS CR